

Client's Plant Profiles



Hameln Dwarf Fountain Grass - *Pennisetum alopecuroides 'Hameln'*

Z H 2-3'

White/creamy plumes in late summer. **WINTER INTEREST**

Main: Cut back to 8" height prior to new spring growth.



Betula pendula Youngii - Young's Weeping Birch

Z3-8 12'H x 8' W

A delicate dome-shaped deciduous tree with branches weeping to the ground. Small catkins in spring and the leaves turn **yellow in autumn** before dropping. Any soil (likes moist soil) and will tolerate shade.

Main: Prune to shape desired in fall.. Fertilize with compost spread under the drip-line of the tree in early spring.



'Tom Thumb' or 'Little Gem'
Cotoneaster - *Cotoneaster adpressus*

Z 6" H/ 2' W

Small mounding plant with shiny compact miniature leaves. Great accent plant.

MAIN: Prune if needed. In spring feed hollytone for acid plants.

Client's Plant Profiles



'Firewitch' Dianthus- *Dianthus gratianopolitanus* 'Firewitch'

Z4 6-12" H/W

Blue-green foliage, blooms magenta flowers throughout summer if dead-headed.

Main: Dead-head spent blooms. In Spring feed osmocote.



'Plum Pudding' Coral Bell – *Heuchera* 'Plum Pudding'

Z4 10-12" H/W

Purple foliage – dainty white flowers in summer.



'Blue Star' Juniper – *Juniperus squamata* 'Blue Star'

Z2 3' H / 3-4' W

A dense low growing evergreen. Steel blue foliage throughout the year. Provides excellent contrast to darker leaved plants. Low Maintenance and drought tolerant.

Main: Hollytone Acid food. Prune if needed.

Client's Plant Profiles



White Pine 'Soft Touch' - *Pinus strobus* 'Soft Touch'

Z3 3' H/W

A mounded dwarf with a flat top and twisted, short needles. Everyone wants to touch this SOFT shrub.

Main: Prune to desired shape,
Feed: In spring Hollytone for acid loving plants.



'Munstead' Lavender - *Lavandula angustifolia* 'Munstead'

Z3 12-18" H/W

Beautiful blue flowers and sweet English lavender aroma. Early July through August, if dead headed. Hardest of the lavenders.

MAIN: DO NOT CUT BACK IN SPRING. Let it green up, then cut out dead wood.




'Moonbeam' Coreopsis - *Coreopsis* 'Moonbeam'

Z4-9 18-24" H/W

Soft butter yellow blooms against dark soft thread-leaved foliage. Blooms for 4-5 wks

MAIN: cut back in fall. (or leave standing in winter for song birds)

Client's Plant Profiles



Chicks and Hens - *Sempervivum tectorum*

Z 5 6" H/ Sprd

Clumping sedum that adds purplish/red foliage to the landscape. Accentuates rocks in the garden.

MAIN: None



'May Night' Salvia – *Salvia x sylvestris* 'May Night'

Z 4 14-14" H/W

Vivacious Purple blooms during Summer. Prefers moist well-drained soil, but can adapt to dry soils.

MAIN: Deadhead. Cut back in fall. Feed with Osmocote or a 20-20-20 fertilizer in Spring and half-way during Summer.



'Tamukeyama' Cutleaf Japanese Maple – *Acer palmatum dissectum* 'Tamukeyama'

Z5 6-8' H/W

Choose a tree trained to cascade. Weeping form and red-purple lace leaves. Use as a specimen plant in small to medium areas.

Main: Prune to desired shape and size.

Client's Plant Profiles



'Green Velvet' Boxwood – *Buxus* 'Green Velvet'

Z5 3' H/W

Slow-growing shrub with small dark green leaves. Good hedge and foundation plant. Prune to desired shape. Shade tolerant. In full sun needs ample moisture.

Main: Very little pruning is necessary.
Feed: Holly tone Acid food in early Spring.



'Gracilis' Grass - *Miscanthus sinensis gracillimus* 'Gracilis'

Z4 5-6'H

Gracillis has very fine, weeping foliage with a white midrib, late in the fall this grass blooms creamy white plumes, which later deepen to a reddish color. Foliage turns tan to bronze in fall.

MAIN: Leave standing in winter for interest. Cut back in early spring.



'Walkers Low' Catmint – *Nepeta faassenii* 'Walkers Low'

Z4 10-15" H/W

Compact fragrant foliage. Long blooming. Deer resistant.

MAIN: Deadhead = cut back all scraggly foliage 1/2way during season and plant will rebloom. In fall cut back dead foliage.

Client's Plant Profiles



'Autumn Joy' Sedum – Sedum telephium 'Autumn Joy'
LOW MAINTENANCE!

Z3-10 20-24" H/W

A very neat mounded plant, texture of foliage adds interest to flower beds all summer and then blooms in fall. Great with GRASSES!

MAIN: Leave standing for winter interest. Feed osmocote or a 20-20-20



Creeping Phlox – *Phlox subulata* (Moss Pink)

Z3 6" H/ Spreads

'Brilliant' - magenta flowers, evergreen foliage
Perfect for Alpines and Rock Gardens and as Groundcovers.

MAIN: Cut back spent flowers after bloom may rebloom. 20/20/20 flower food.



Stellar Pink Dogwood – *Cornus* 'Rutgan' 'Stellar Pink'

Z5 15-30' H/W

An excellent, early-flowering, small tree for a variety of locations on residential property, including around homes, near patios or in lawns. Plant as a specimen or in small groupings. Also effective in woodland areas, bird or native plant gardens.

MAIN: Prune as needed.

Client's Plant Profiles



'Dorthy Wycoff' Pieris – *Pieris japonica* 'Dorthy Wycoff'

Z3 4-6' H/W

The dark red flower buds open to pale pink flowers in early Spring. The new foliage is reddish changing to green. **Evergreen. DEER RESISTANT!**

Main: Prune if needed after flowering.
Feed: Hollytone Acid food in early Spring.



Siberian Iris – *Iris sibirica*
Z 2-9 1-3' H/W

Grassy leaved foliage, with early summer flowering of purple, yellow or white.

MAIN: Cut back after flower stalks after flowering. Foliage can be left on for summer interest and cut back when no longer aesthetically pleasing.



Sedum spathulifolium



Sedum spathulifolium 'Cape Blanco' 4" H x 12" W **Z5-9**
Star-shaped, yellow flowers in tight clusters in summer. Forms a nice carpet.

Client's Plant Profiles



JAPANESE PAINTED FERN *Athyrium niponicum* 'Pictum'

Z3-8 12-18" H/W

Fronds are a soft grayish-green with an overlay of silvery hues accented by contrasting dark maroon midribs. Slow spreading clump that naturalizes well by short, branching rhizomes.

Likes: humusy, organically rich, medium wet to wet, well-drained soil.

MAIN: Clean up foliage in late winter or early spring. Divide clumps in early spring.



Primrose – *Primula polyanthus*

Z 4-8 6" H 12" W

Showy clusters of red flowers with yellow centers in Mid-Spring.

MAIN: After bloom cut back spent flowers. When foliage browns/yellows cut back to base.